

## PRODUCTINFORMATIEBLAD DALI COUPLER HF G2

DALI COUPLER HF G2 | DALI-2 sensor-coupler voor integratie van HF (radar) licht- en aanwezigheidssensor in DALI installaties



### Toepassingsgebieden

- Connection of light and presence sensors in DALI systems
- Ceiling or independent installation via ECO CI KIT possible
- Luminaire and ceiling integration
- Installation in industry and office luminaires
- Installation in IP protected luminaires possible
- Areas with high ceilings

### Productvoordelen

- DALI-2 certified
- Multiple couplers connectable to the same DALI line
- Integretable in light- and building management systems supporting DALI-2 sensors

### Productkenmerken


- Coupler for integration of light and presence information in DALI installations
- 4p4c-connector for HF LS LI Sensor (Light- and motion detection via radar)
- Very low DALI Power consumption
- for sensor features see HF LS LI sensor

## TECHNISCHE GEGEVENS

## ELEKTRISCHE GEGEVENS

Nominale vermogen	0,35 W
Nominale spanning	220...240 V
Netfrequentie	50...60 Hz

## AFMETINGEN &amp; GEWICHT



Lengte	118,00 mm
Breedte	30,00 mm
Breedte (incl. ronde armaturen)	30,00 mm
Hoogte	21,00 mm
Hoogte (incl. cylin. armaturen)	21,00 mm
Product gewicht	50,00 g

## KLEUREN &amp; MATERIALEN

Kleur van het product	Lichtgrijs
-----------------------	------------

## TEMPERATUREN &amp; BEDRIJFSOMSTANDIGHEDEN

Omgevingstemperatuur bereik	-20...+50 °C
-----------------------------	--------------

## AANVULLENDE PRODUCTGEGEVENS

Aantal stuuruitgangen	1
-----------------------	---

## MOGELIJKHEDEN

Dimbaar	Nee
Dimmer interface	DALI-2
Aantal stuuruitgangen	1
Type montage	Verzonken/Inbouwarmatuur



## CERTIFICATEN &amp; NORMEN

Keurmerken	CE
Veiligheidsklasse	II
Type bescherming	IP20

## Technische uitrusting

- HF LS LI - Light and presence Sensor head with HF technology (radar)
- Separate installation possible with ECO CI KIT

## DOWNLOADS

Documenten en certificaten	Naam document
 User Instruction	DALI2 COUPLER HF
 Declarations of conformity	DALI SENSOR LS PD LI

## LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4062172072199	Vouwdoos 1	128 mm x 37 mm x 27 mm	49.00 g	0.13 dm <sup>3</sup>
4062172072205	Verzenddoos 25	200 mm x 140 mm x 147 mm	1670.00 g	4.12 dm <sup>3</sup>

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvoud van de verpakkingseenheid invoeren.

## DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.