

SMART⁺ PLANON FRAMELESS



	EAN	W	lm	K	Temp (°C)	V~	mA	Hz	PF
SMART WIFI PLANON FRAMELESS 40X10TW	4058075484634	16	1050	3000-6500	-20...+40	220-240	80	50/60	>0.9
SMART WIFI PLANON FRAMELESS 60X10TW	4058075484610	28	1800	3000-6500	-20...+40	220-240	125	50/60	>0.9
SMART WIFI PLANON FRAMELESS 80X10TW	4058075484597	27	2000	3000-6500	-20...+40	220-240	125	50/60	>0.9
SMART WIFI PLANON FRAMELESS 120X10TW	4058075484535	35	2500	3000-6500	-20...+40	220-240	160	50/60	>0.9
SMARTWIFIPLANON FRAMELES120X10RGBTW	4058075484573	35	2500	3000	-20...+40	220-240	160	50/60	>0.9
SMART WIFI PLANON FRAMELESS 60X30TW	4058075484412	28	2100	3000-6500	-20...+40	220-240	125	50/60	>0.9
SMART WIFI PLANON FRAMELESS 120X30TW	4058075484498	40	3400	3000-6500	-20...+40	220-240	180	50/60	>0.9
SMARTWIFIPLANON FRAMELES120X30RGBTW	4058075484511	40	3300	3000	-20...+40	220-240	185	50/60	>0.9

4x 4x

1x

1100 g	1530 g
4058075484634	4058075484597
1320 g	2580 g
4058075484610	4058075484412
2260 g	4200 g
4058075484535	4058075484498
2430 g	4610 g
4058075484573	4058075484511

mm

	L	W	H
400X100 16W	400	100	65
600X100 28W	600	100	65
800X100 27W	800	100	65
1200X100 35W	1200	100	65
600X300 28W	600	300	69
1200X300 40W	1200	300	69







1

ON
OFF

2

3

4





CE EAC



RoHS

C10449057
G11097699
07.07.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com