SIEMENS

Data sheet 3NA6836



LV HRC fuse element, NH00, In: 160 A, gG, Un AC: 500 V, Un DC: 250 V, Combined indicator, Insulated grip lugs

Model				
product brand name	SENT	RON		
product designation		LV HRC fuse link		
design of the product		With blade contacts		
design of an identification indicator		Combination alarms		
design of the switching contact	Non-c	Non-corroding, silver-plated		
design of the fuse link	LV HRC fuse link			
General technical data				
size of fuse system according to EN 60269-1	NH00			
operating class of the fuse link	gG	gG		
mounting type	insulated grip lugs			
type of voltage of the operating voltage	AC/DC			
supply voltage				
at AC rated value	500 V	500 V		
• at DC	250 V	250 V		
Protection class				
protection class IP	IP20, with connected conductors			
Switching capacity				
switching capacity current				
 at DC according to IEC 60947-2 rated value 	25 kA			
 according to IEC 60947-2 rated value 	120 kA			
Dissipation				
power loss [W]	10.5 W			
power loss [W] for rated value of the current at AC in hot operating state per pole	10.5 W			
Mechanical Design				
width of the enclosure	30 mr	30 mm		
mounting position	Any, ¡	Any, preferably vertical		
net weight	202 g			
Environmental conditions				
ambient temperature during operation				
• minimum	-5 °C	-5 °C		
maximum	40 °C			
environmental category	-20 to +50 at 95% relative humidity			
environmental category during storage Certificates	90% a	90% at 20°C		
reference code according to IEC 81346-2	FC			
General Product Approval		Declaration of Conformity	Test Certificates	

Confirmation









Special Test Certificate

Test Certificates

Marine / Shipping

other

Environment

<u>Miscellaneous</u>



Miscellaneous

Confirmation

Miscellaneous

Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NA6836

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3NA6836

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NA6836


CAx-Online-Generator


http://www.siemens.com/cax


Tender specifications

http://www.siemens.com/specifications









last modified: 2/14/2023 🖸