



DELTA m-system Buzzer 230 V 50/60 Hz, 80 dB (A) Adjustable loudness level aluminum-metallic

| Model                                    |                          |
|--|--------------------------|
| product brand name                       | DELTA                    |
| product designation                      | Buzzer                   |
| design of the product                    | M-system                 |
| type of acoustic signal                  | continuous tone          |
| General technical data                   |                          |
| loudness level                           | 80 dB                    |
| type of voltage of the operating voltage | AC                       |
| Supply voltage                           |                          |
| supply voltage rated value               | 230 V                    |
| Protection class                         |                          |
| protection class IP                      | IP20                     |
| Appearance                               |                          |
| color of the enclosure                   | Aluminum metallic/silver |
| Product details                          |                          |
| product component integrated transformer | Yes                      |
| Mechanical Design                        |                          |
| height                                   | 44 mm                    |
| fastening method                         | Miscellaneous            |
| net weight                               | 46 g                     |
| material of the enclosure                | plastic                  |
| Approvals Certificates                   |                          |
| General Product Approval                 | other                    |

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

### Further information

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.  
 Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=5TG9875-8AM>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/5TG9875-8AM>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=5TG9875-8AM](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5TG9875-8AM)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/13/2023 

