



Connecting terminal, 35 mm² according to UL 489, 480Y/277V for LS 5SJ4...-HG Infeed LS

| Model | |
|--|--|
| product brand name | SENTRON |
| product designation | Connecting terminal |
| design of the product | 35 mm ² , acc. to UL 489, 480Y/277 V for MCBs 5SJ4...-HG infeed MCB |
| Supply voltage | |
| operating voltage at AC rated value | 1 000 V |
| Connections | |
| tightening torque | |
| • minimum | 4 N·m |
| • maximum | 4 N·m |
| type of connectable conductor cross-sections for copper conductor stranded | 2.5 - 35 mm ² |
| Mechanical Design | |
| height | 31.1 mm |
| width | 16.2 mm |
| depth | 25.7 mm |
| length | 74.7 mm |
| net weight | 33.6 g |
| Approvals Certificates | |
| General Product Approval | |



[Confirmation](#)



[Miscellaneous](#)



| other | Environment |
|--|--|
| <p>Confirmation</p> <p>Miscellaneous</p> | <p>Environmental Confirmations</p> |

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3666-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3666-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3666-0HG

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



